

ರಣದ ಮಾದರಿ

ಪಟ್ಟು/ಮೊಟಾರುಗಳ ಒಟ್ಟು ಸಂಖ್ಯೆ  
ಸಂಪರ್ಕ ಪ್ರಮಾಣ

ಮೇಲೆ ಸಂಪರ್ಕ ಪ್ರಮಾಣ ಅ)

ಆ)

ಇ)

ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರುಗಳು :

ಪ್ರಮಾಣ

ಪ್ರಮಾಣ

ಪ್ರಮಾಣ

ಮತ್ತು ತಯಾರಿಕೆ

ಭದ ರೀಡಿಂಗ್

ನ್ನು ಸರಿಯಾಗಿ ಮೊಹರು ಮಾಡಿದೆಯೆ

ಮಿಮಿನಲ್ ಕವರನ್ನು ಮೊಹರು ಮಾಡಿದೆಯೆ

ಮೊಹರು ಮಾಡಿದೆಯೆ

ಪ್ಲೇಷನ್ ವೈರಿಂಗ್

ಗಳಿಗೆ ಅನುಸಾರವಾಗಿದೆಯೆ

ದರೂ ನ್ಯೂನತೆಗಳನ್ನು ಗಮನಿಸಲಾಗಿದೆಯೆ

ವರ್ತವನ್ನು ಪರೀಕ್ಷಿಸಲಾಗಿದೆಯೆ

ದೆಯೆ ಮತ್ತು ಅದು

ಡನ್ನು ಹಾಕಿದೆಯೆ

(ಮಂಡಳಿಯ ಉಪಯೋಗಕ್ಕಾಗಿ)

LTGAL

11K62

ಶ್ರೀ. ಗುರುರಾಜೇಂದ್ರ

25K19A

11K19/433U

DTL 431D12

EL-Schweidy

SL-NO-

11043798

5-30A

IR-00000.5

44

NO

44

ಆರ್.ನಂ. ಬರೆಯಲಾಗಿದೆಯೆ

ಮಾಪಕದಲ್ಲಿ ಹಾಳೆಯನ್ನು ಇಡಲಾಗಿದೆಯೆ

ಪುಸ್ತಕ ಸಂಖ್ಯೆ

ಇನ್‌ಸ್ಟಲೇಷನ್ ಸಂಖ್ಯೆ

ಸಂಪರ್ಕ ದಿನಾಂಕ

ಸಂಪರ್ಕ

ಹೊಸ

ಟ್ರಾಪಿಂಗ್

ದೂರವಾಣಿ ಕ್ರಾಸಿಂಗ್

ಯಾವ ಸಂಖ್ಯೆಯ ಕಂಬದಿಂದ

ಈ ಆರ್.ಆರ್. ಸಂಖ್ಯೆಯ ನಂತರದ್ದು

ಮಾಪಕ ಓದುವ ದಿನಾಂಕ

ಸೇವಾ ಮಾರ್ಗ

ಕಂಡಕ್ಟರ್ ಸಿಯು/ಎ

ಕೇಬಲ್ ಡಬ್ಬಲ್‌ಪಿ/ವಿಐಆರ್/ಸಿಟಿಎನ್

ಕೊಳವೆ

ಅರ್ಥಿಂಗ್

ಎರಿಯಲ್ ಪ್ಯೂಸ್

ಕಟ್ ಔಟ್

ಸಂಪರ್ಕ ಸೇವೆ ದೂರ

ಪರೀಕ್ಷೆ :

ಫೇಸುಗಳು ಮಧ್ಯೆ

ಫೇನ್‌ನಿಂದ ನೆಲಕ್ಕೆ

ನ್ಯೂಟ್ರಲ್‌ನಿಂದ ನೆಲಕ್ಕೆ

44

SRP-49856  
02/01/2024

NEW

SRP-7

Sim

Ans

per

Specification

15ml

OK

ದೃಢೀಕರಿಸುವುದೇನೆಂದರೆ, ನಾನು ಸ್ಥಾವರವನ್ನು ಪರೀಕ್ಷಿಸಿದ್ದೇನೆ ಮತ್ತು ರೇಟಿಡ್ ಮಾಡಿದ್ದೇನೆ

Kiran Gowder  
(ಗುತ್ತಿಗೆದಾರರ/ತಾಂತ್ರಿಕ ಸಲಹೆಗಾರರ ಸಹಿ)

ಇಂಜಿನಿಯರು

ಅಂಗಡಿ, ಕಛೇರಿ, ಹೋಟೆಲು, ರೆಸ್ಟೋರೆಂಟ್, ಚಲನಚಿತ್ರ ಮಂದಿರ, ಆಸ್ಪತ್ರೆ, ಧಾರ್ಮಿಕ, ಶೈಕ್ಷಣಿಕ, ಕೈಗಾರಿಕೆ, (ವಿವರಿಸಿ) ಕೃಷಿ  
(ಇವುಗಳಲ್ಲಿ ಯಾವುದೇ ಒಂದನ್ನು ನಿರ್ದಿಷ್ಟಪಡಿಸಿ)

**ದೇಶವಾರಿ ವಿದ್ಯುತ್ ಸರಬರಾಜು ನಿಗಮ ನಿಯಮಿತ**  
**DESHWARI ELECTRICITY SUPPLY CORPORATION LIMITED**

**TEST CERTIFICATE**

Date : 2/12/23

Certify that the Meter received from **EL SEWEDY ELECTRO METER** Ltd. was tested good it is Sealed in the **MT** section having the Meter

ils :

**EL SEWEDY**  
01-1

1P,2 W  
3200Imp/kWh  
50 Hz.

240V  
5-30A


..... 11043798 ..... Intital Reading 000 0.5 ..... (CkWh)

ed to Main Cover

..... 19527 ..... (EL-S White Plastic)

..... R6790667845 ..... (CESC G & W Plastic)

T: Numbered round (CESC G & W Plastic)  
Numbered round (CESC G & W Plastic)

  
JE/AE/Asst. Executive Engg.(Ele.),  
LT Rating Sub-division



# EL - Sewedy Electrometer India Pvt. Ltd.

**Address.**  
Sewedy Electro meter India Pvt. Ltd.  
Energy Meter Retail Outlet, MPL Compound, Shri Harsha Road,  
Executive Engineer CESC, N.R. Mohalla Division, MYSORE-570001  
Sewedy Electrometer India Pvt. Ltd.  
No : C-138, Sector-63 Noida-201301 UP, INDIA  
PIN NO.: 09AACCE0583H1ZO

**Branch Office Address .**  
EL-Sewedy Electro meter India Pvt. Ltd.  
Energy Meter Retail Outlet, O/o Executive Engineer,  
O&M Division, CESC, HN Pura Road, Near  
KSRTC Bus stand, HASSAN - 573201.

**Customer Name** Pantho Sreey Gundla  
**Address** J. Jaganmohan  
**PIN :** Haganm

**BILL No.:** HSN/23/ 5854  
**DATE:** 11/12/23  
**GSTIN :** 29AACCE0583H1ZM

| Description of Goods/ Service                                                               | Quantity<br>(Nos.) | Rate Per Pc<br>(Rs.) | Value Amount<br>Rs. P. |
|---------------------------------------------------------------------------------------------|--------------------|----------------------|------------------------|
| HSN Code : 90283090 Single / Three Phase / LTCT Static Energy Meter<br>Sl. Nos.<br>11043798 | 1                  | 780 99               | 780 99                 |
| SC Division : Haganm<br>No. : SS-13244 Date : 20/11/23                                      |                    | CGST@ 9%             | 71 01                  |
| Invoice Value (In Words) :                                                                  |                    | SGST@ 9%             | 71 01                  |
|                                                                                             |                    | GRAND TOTAL          | 901 01                 |

**MANUFACTURER'S WARRANTY**  
We warrant that the EL-Sewedy Electrometer India Pvt. Ltd. meters sold by us are warranted against any manufacturing defects for a period of 5 (Five) Years from the date of purchase. If within this period the meters are proved defective for any faulty design, workmanship or material, we may at our option replace or repair the same free of charge. This warranty, however, shall not cover or extend to damage due to misuse, mishandling, tampering, accident or negligence on part of the consumer, normal wear and tear of the moving parts and burnt meters of which shall be sole judge, the warranty is void if the meters are not installed correctly. 2. The meters mounted indoor. 3. In case the Meters are mounted outdoor, they are protected against direct exposure to sunlight and rain. 4. The meters are stored in a proper way. 5. The meters are stored in a dry and protected place. The meters will be supplied in a sealed condition. Our above warranty claim will not be applicable once the factory seal/CESCO MT seal is broken/tampered.

For EL-Sewedy Electrometer India Pvt. Ltd.

Signature